

All Databases

Select a Database

Web of Science

Additional Resources

Search Author Finder Cited Reference Search Advanced Search Search History

Web of Science®

<< Back to previous page

Cited References

Title: **An Approach Based on SCGM for the 3D Shape Optimization of the Pressure Vessel with Spherical Dome**
 Author(s): Huang, W. C. ; Li, J. C. ; Huang, K. Y. ; et al.
 Book Editor(s): Ao, SI ; Castillo, O ; Douglas, C ; et al.
 Conference: **International Multi-Conference of Engineers and Computer Scientists 2010** Location: Hong Kong, PEOPLES R CHINA Date: MAR 17-19, 2010
 Sponsor(s): IAENG Soc Artificial Intelligence; IAENG Soc Bioinformat; IAENG Soc Comp Sci; IAENG Soc Data Mining; IAENG Soc Elect Engn; IAENG Soc Imaging Engn; IAENG Soc Ind Engn; IAENG Soc Internet Comp & Web Serv; IAENG Soc Sci Comp; IAENG Soc Software Engn; IAENG Soc Wireless Networks
 Source: **INTERNATIONAL MULTICONFERENCE OF ENGINEERS AND COMPUTER SCIENTISTS (IMECS 2010), VOLS I-III** Book Series: **Lecture Notes in Engineering and Computer Science** Pages: 1733-1737
 Published: 2010

References: 24

Page 1 of 1 Go

Save to: [ENDNOTE® WEB](#) [ENDNOTE®](#) [ResearcherID](#) [more options](#)

[Find Related Records](#) [Clear All Pages](#)

To find Related Records: Clear the checkbox of an item if you do not want to retrieve articles that cited the item. Then click "Find Related Records."

1. Title: **ASME Boiler and Pressure Vessel Code Section VIII Division 1**
 Group Author(s): ASME
 Source: UG-27(c) Published: 1992
 Times Cited: 42 (from Web of Science)

[Find it @ UT](#)

2. Title: **Shape optimization using the boundary element method and a SAND interior point algorithm for constrained optimization**
 Author(s): Canelas, A.; Herskovits, J.; Telles, J. C. F.
 Conference: **3rd European Conference on Computational Mechanics** Location: Natl Civil Engn Lab, Lisbon, PORTUGAL Date: JUN 04-09, 2006
 Sponsor(s): IACM; ECCOMAS; ECCSM; APMTAC; Fdn Sci & Technol; Calouste Gulbenkian Fdn; Tech Univ Lisbon; Inst Super Tecnico
 Source: COMPUTERS & STRUCTURES Volume: 86 Issue: 13-14 Pages: 1517-1526 DOI: 10.1016/j.compstruc.2007.05.008 Published: JUL 2008
 Times Cited: 6 (from Web of Science)

[Find it @ UT](#)

[Full Text](#)

[View abstract](#)

3. Title: **A simplified conjugate-gradient method for shape identification based on thermal data**
 Author(s): Cheng, CH; Chang, MH
 Source: NUMERICAL HEAT TRANSFER PART B-FUNDAMENTALS Volume: 43 Issue: 5 Pages: 489-507 DOI: 10.1080/10407790390122104 Published: MAY 2003
 Times Cited: 31 (from Web of Science)

[Find it @ UT](#)



[View abstract](#)

4. Title: **Design of thick-walled cylindrical vessels under internal pressure based on elasto-plastic approach**
 Author(s): Darijani, H.; Kargarnovin, M. H.; Naghdabadi, R.
 Source: MATERIALS & DESIGN Volume: 30 Issue: 9 Pages: 3537-3544 DOI: 10.1016/j.matdes.2009.03.010
 Published: OCT 2009
 Times Cited: 1 (from Web of Science)

[Find it @ UT](#)

[Full Text](#)

[View abstract](#)

5. Title: **Stress intensity factors of semi-elliptical surface cracks in pressure vessels by global-local finite element methodology**
Author(s): Diamantoudis, AT; Labeas, GN
Source: ENGINEERING FRACTURE MECHANICS Volume: **72** Issue: **9** Pages: **1299-1312** DOI: **10.1016/j.engfracmech.2004.10.004** Abstract Number: **A2005-21-2842-002** Published: **JUN 2005**
Times Cited: **14** (from Web of Science)
-   [ View abstract]
6. Title: **Optimal design of gating systems by gradient search methods**
Author(s): Esparza, CE; Guerrero-Mata, MP; Rios-Mercado, RZ
Source: COMPUTATIONAL MATERIALS SCIENCE Volume: **36** Issue: **4** Pages: **457-467** DOI: **10.1016/j.commatsci.2005.05.009** Published: **JUL 2006**
Times Cited: **9** (from Web of Science)
-   [ View abstract]
7. Title: **Yield and bursting characteristics of heavy-wall cylinders**
Author(s): Faupel, J. H.
Source: Transactions of ASME Volume: **78** Pages: **1031-1064** Published: **1956**
Times Cited: **16** (from Web of Science)
- 
8. Title: **Finite element structural shape and thickness optimization of axisymmetric shells**
Author(s): Hinton, E.; Rao, N. V. R.; Sienz, J.
Source: Engineering Computations Swansea Volume: **9** Issue: **5** Pages: **499-527** DOI: **10.1108/eb023880**
Published: **1992**
Times Cited: **12** (from Web of Science)
- 
9. Title: **FULLY STRESSED THICKNESS PROFILE DESIGN AT DISCONTINUITIES OF AXISYMMETRICAL SHELLS**
Author(s): HSU, YL; STEELE, CR; SHEPPARD, SD
Source: STRUCTURAL OPTIMIZATION Volume: **7** Issue: **3** Pages: **199-205** DOI: **10.1007/BF01742467** Published: **APR 1994**
Times Cited: **4** (from Web of Science)
-  [ View abstract]
10. Title: **Universal SCFs and optimal chamfering in cross-bored cylinders**
Author(s): Kihui, J. M.; Rading, G. O.; Mutuli, S. M.
Source: INTERNATIONAL JOURNAL OF PRESSURE VESSELS AND PIPING Volume: **84** Issue: **6** Pages: **396-404**
DOI: **10.1016/j.ijpvp.2006.11.005** Published: **JUN 2007**
Times Cited: **1** (from Web of Science)
-   [ View abstract]
11. Title: **SENSITIVITY ANALYSIS IN SHAPE OPTIMIZATION DESIGN FOR A PRESSURE-VESSEL**
Author(s): LI, YS
Source: INTERNATIONAL JOURNAL OF PRESSURE VESSELS AND PIPING Volume: **49** Issue: **3** Pages: **387-397**
DOI: **10.1016/0308-0161(92)90122-V** Published: **1992**
Times Cited: **2** (from Web of Science)
-   [ View abstract]
12. Title: **Optimum design of dome contour for filament-wound composite pressure vessels based on a shape factor**
Author(s): Liang, CC; Chen, HW; Wang, CH
Source: COMPOSITE STRUCTURES Volume: **58** Issue: **4** Pages: **469-482** Article Number: **PII S0263-8223(02)00136-8** DOI: **10.1016/S0263-8223(02)00136-8** Published: **DEC 2002**
Times Cited: **23** (from Web of Science)
-   [ View abstract]
13. Title: **Shape optimisation of axisymmetric cylindrical nozzles in spherical pressure vessels subject to**

stress constraints

Author(s): Liu, JS; Parks, GT; Clarkson, PJ

Source: INTERNATIONAL JOURNAL OF PRESSURE VESSELS AND PIPING Volume: 78 Issue: 1 Pages: 1-9 DOI:

10.1016/S0308-0161(00)00065-X Published: JAN 2001

Times Cited: 11 (from Web of Science)



→ Full Text

[+ - View abstract]

14. Title: **A semi-implicit level set method for structural shape and topology optimization**
Author(s): Luo, Junzhao; Luo, Zhen; Chen, Liping; et al.
Source: JOURNAL OF COMPUTATIONAL PHYSICS Volume: 227 Issue: 11 Pages: 5561-5581 DOI:
10.1016/j.jcp.2008.02.003 Published: MAY 10 2008
Times Cited: 18 (from Web of Science)



→ Full Text

[+ - View abstract]

15. Title: **An approach based on biological algorithm for three-dimensional shape optimisation with fracture strength constrains**
Author(s): Peng, D.; Jones, R.
Source: COMPUTER METHODS IN APPLIED MECHANICS AND ENGINEERING Volume: 197 Issue: 49-50 Pages:
4383-4398 DOI: 10.1016/j.cma.2008.05.020 Published: 2008
Times Cited: 3 (from Web of Science)




→ Full Text

[+ - View abstract]

16. Title: **TWO-DIMENSIONAL SHAPE OPTIMAL-DESIGN BY THE FINITE-ELEMENT METHOD**
Author(s): QUEAU, JP; TROMPETTE, P
Source: INTERNATIONAL JOURNAL FOR NUMERICAL METHODS IN ENGINEERING Volume: 15 Issue: 11 Pages:
1603-1612 DOI: 10.1002/nme.1620151104 Published: 1980
Times Cited: 30 (from Web of Science)



17. Title: **STRUCTURAL SHAPE OPTIMIZATION USING PENALTY FUNCTIONS**
Author(s): RAMAKRISHNAN, CV; FRANCAVILLA, A
Source: JOURNAL OF STRUCTURAL MECHANICS Volume: 3 Issue: 4 Pages: 403-422 Published: 1975
Times Cited: 24 (from Web of Science)



18. Title: **Limit and burst pressures for a cylindrical shell intersection with intermediate diameter ratio**
Author(s): Sang, ZF; Xue, LP; Lin, YJ; et al.
Source: INTERNATIONAL JOURNAL OF PRESSURE VESSELS AND PIPING Volume: 79 Issue: 5 Pages: 341-349
Article Number: PII S0308-0161(02)00028-5 DOI: 10.1016/S0308-0161(02)00028-5 Abstract Number: A2002-20-
8140N-069 Published: MAY 2002
Times Cited: 12 (from Web of Science)



→ Full Text

[+ - View abstract]

19. Title: **A computational study in optimum formulations of optimization problems on laminated cylindrical shells for buckling - II. Shells under external pressure**
Author(s): Smerdov, AA
Source: COMPOSITES SCIENCE AND TECHNOLOGY Volume: 60 Issue: 11 Pages: 2067-2076 DOI:
10.1016/S0266-3538(00)00103-2 Abstract Number: A2000-20-4630L-009 Published: AUG-SEP 2000
Times Cited: 8 (from Web of Science)



→ Full Text

[+ - View abstract]

20. Title: **Shape optimization of 2D structures using simulated annealing**
Author(s): Sonmez, Fazil O.
Source: COMPUTER METHODS IN APPLIED MECHANICS AND ENGINEERING Volume: 196 Issue: 35-36 Pages:
3279-3299 DOI: 10.1016/j.cma.2007.01.019 Published: 2007
Times Cited: 12 (from Web of Science)



→ Full Text

[+ - View abstract]

21. Title: **An efficient approach for shape optimization of components**
Author(s): Wu, ZX
Source: INTERNATIONAL JOURNAL OF MECHANICAL SCIENCES Volume: 47 Issue: 10 Pages: 1595-1610 DOI:

22. Title: **Optimal design of high pressure hydrogen storage vessel using an adaptive genetic algorithm**
Author(s): Xu, P.; Zheng, J.; Chen, H.; et al.
Source: International Journal of Hydrogen Energy Published: 2009
Times Cited: 1 (from Web of Science)
[\[Show additional data\]](#)



23. Title: **Optimal design of high pressure hydrogen storage vessel using an adaptive genetic algorithm**
Author(s): Xu, P.; Zheng, J.; Chen, H.; et al.
Source: International Journal of Hydrogen Energy Pages: 1-7 Published: 2009
Times Cited: 2 (from Web of Science)
[\[Show additional data\]](#)



24. Title: **Optimal shapes for axisymmetric pressure vessels: A brief overview**
Author(s): Zhu, L.; Boyle, JT
Source: JOURNAL OF PRESSURE VESSEL TECHNOLOGY-TRANSACTIONS OF THE ASME Volume: 122 Issue: 4
Pages: 443-449 DOI: 10.1115/1.1308572 Published: NOV 2000
Times Cited: 2 (from Web of Science)

References: 24

Page 1 of 1 

Output Records








Step 1:

- Selected Records* on page
 All records* on page
 Records* to

Step 2:

- Authors, Title, Source
 plus Abstract*

Step 3: [\[How do I export to bibliographic management software?\]](#)

  Save to:  

 
 (0)

*Some data may not be available for some records. (See [help](#) for details.)

View in: [简体中文](#) | [English](#) | [日本語](#)