



Cited Results

24 references mentioned in:




 K-Modes Clustering Algorithm Based on Weighted Overlap Distance and Its Application in Intrusion Detection

 Copy query link

Refine results



Quick Filters

-  Highly Cited Papers 5
-  Review Articles 3
-  Open Access 5

Publication Years

- 2018 1
- 2017 4
- 2016 3
- 2015 12
- 2014 1

[See all >](#)

Document Types

- Cited Reference 24
- Articles 16
- Journal Paper 16
- Review Articles 3
- Proceedings Papers 2

[See all >](#)

Web of Science Categories

None of the results contain data in this field.

 0/24

[Add To Marked List](#)
[Export ▾](#)

Sort by: Date: newest first ▾

[<](#) 1 of 1 [>](#)
 1

[Application of metaheuristic based fuzzy K-modes algorithm to supplier clustering](#)

5

Citations

[Kuo, RJ; Potti, Y and Zulvia, FE](#)

 Jun 2018 | [COMPUTERS & INDUSTRIAL ENGINEERING](#) 120 , pp.298-307

22

References

Many companies find difficulty in choosing right suppliers. Organizing suppliers based on their characteristics might help ... [Show more](#)

[Full Text at Publisher](#) 
[Related records](#)
 2

[An iterated greedy heuristic for a market segmentation problem with multiple attributes](#)

10

Citations

[Huerta-Munoz, DL; Rios-Mercado, RZ and Ruiz, R](#)

 Aug 16 2017 | [EUROPEAN JOURNAL OF OPERATIONAL RESEARCH](#) 261 (1) , pp.75-87

58

References

A real-world customer segmentation problem from a beverage distribution firm is addressed. The firm wants to partition a set of ... [Show more](#)

[Full Text at Publisher](#) 
[Related records](#)
 3

[k-means clustering with outlier removal](#)

71

Citations

[Gan, GJ and Ng, MKP](#)

 Apr 15 2017 | [PATTERN RECOGNITION LETTERS](#) 90 , pp.8-14

38

References

Outlier detection is an important data analysis task in its own right and removing the outliers from clusters can improve the cl ... [Show more](#)





© 2021
Clarivate
Training
Portal
Product
Support

Data
Correction
Privacy
Statement
Newsletter

Copyright
Notice
Cookie
Policy
Terms of
Use

Manage
cookie
preferences

Follow
Us



Authors

- Abbas H 1
- Abdulazeez Brifcani A M 1
- Amin S 1
- Ashfaq R A 1
- Ashfaq R A R 1

[See all >](#)

Affiliations

- MASSACHUSETTS INSTITUTE OF TECHNOL... 2
- MIT 2
- CALIFORNIA INSTITUTE OF TECHNOLOGY 1
- CALTECH 1
- CARNEGIE MELLON UNIV 1

[See all >](#)

Publication Titles

- EXPERT SYSTEMS WITH APPLICATIONS 2
- INFORMATION SCIENCES 2
- PROCEAIA COMPUTER SCIENCE 2
- COMPUTATIONAL INTELLIGENCE 1
- COMPUTERS INDUSTRIAL ENGINEERING 1

[See all >](#)

Publishers

None of the results contain data in this field.

Funding Agencies

Open Access



Editorial Notices

Editors

- 4 **Fuzziness based semi-supervised learning approach for intrusion detection system** **264**
Citations
[Ashfaq, RAR; Wang, XZ; \(...\); He, YL](#)
Feb 1 2017 | [INFORMATION SCIENCES](#) 378 , pp.484-497

Countering cyber threats, especially attack detection, is a challenging area of research in the field of information assura ... [Show more](#)

[Full Text at Publisher](#) ... [Related records](#)

- 5 **Attainment of K-means algorithm using hellinger distance** **1**
Citation
[Ramona, S.A.M.; Constantin, S.L and Pompiliu, C.M.](#)
2017 | Economic Sciences Series 17 (2) , pp.324-329

0
References

- 6 **Preface: pattern recognition and mining** **1**
Citation
[Maji, P; Pal, SK and Skowron, A](#)
Sep 2016 | [NATURAL COMPUTING](#) 15 (3) , pp.355-357

0
References

[Free Full Text From Publisher](#) ...

- 7 **Soft subspace clustering of categorical data with probabilistic distance** **25**
Citations
[Chen, LF; Wang, SR; \(...\); Zhu, JP](#)
Mar 2016 | [PATTERN RECOGNITION](#) 51 , pp.322-332

31
References

Categorical data clustering is an important subject in pattern recognition. Currently, subspace clustering of categorical data remain: ... [Show more](#)

[Full Text at Publisher](#) ... [Related records](#)

32



Countries/Regions


Languages

Conference Titles

Book Series Titles

Web of Science Index





Page size 50

1 of 1

24 records matched your query of the 228,182,202 in the data limits you selected.







